




JOHNSON & JOHNSON (J&J) VACCINE

TYPE OF VACCINE (1)

- The vaccine is a viral vector, which means
 - The vector is the spike protein of the virus
 - The vector enters the cells in our body and then use the cells' machinery to produce a harmless piece of the virus (spike protein) that causes COVID-19
 - The vector is **NOT** the virus that causes COVID-19, but a different, harmless virus



WHO CAN/ CAN'T GET IT (2)

- Anyone over the age of 18 years old can be vaccinated
- You **SHOULD NOT** get the vaccine if:
 - If you had a severe allergic reaction to any ingredient in the vaccine
 - If an immediate allergic reaction occurs within 4 hours of getting the vaccine
 - Symptoms: hives, swelling, or wheezing
 - You would need to be treated with an EpiPen
 - Call 911 if you continue to experience the symptoms



COMMON SIDE EFFECTS (2)

- In the arm where the vaccine was given:
 - Pain
 - Soreness
 - Redness
- The rest of the body:
 - Tiredness
 - Headache
 - Body aches
 - Fever
 - Nausea
 - Chills

MOST PEOPLE

IMMUNOCOMPROMISED

Total number: 2 or 3 doses		Total number: 4 doses	
Dose 1 to 2	At least 8 weeks	Dose 1 to 2	At least 4 weeks (mRNA vaccine) [§]
Dose 2 to 3	At least 4 months for persons ages 50 years and older (mRNA vaccine) ^{**}	Dose 2 to 3	At least 8 weeks*
		Dose 3 to 4	At least 4 months (mRNA vaccine) [§]

OTHER FACTS (2)

The Vaccine Trial Information:

- 9.5% American Indian/ Alaskan Natives
- 54.9% Males; 45% Females

- 66.5% 18–59 years
- 33.5% 60 years and older
- 19.6% 65 years and older
- 3.5% 75 years and older

SOURCE:
 1. <https://www.cdc.gov/coronavirus/2019-ncov/vaccines/different-vaccines/viral-vector.html>
 2. <https://www.cdc.gov/coronavirus/2019-ncov/vaccines/different-vaccines/janssen.html>

